Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024		
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Material name	: ZEP CHERRY BOMB HC_48OZ_4CT			
Material number	: ZUCBHC484			

Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		

Telephone : Compliance Services - 877-428-9937

Emergency telephone numbers		
For SDS Information	:	Compliance Services - 877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	red
Odour	characteristic

GHS Classification	
Skin sensitisation	: Category 1
GHS label elements	
Hazard pictograms	Exclamation mark
Signal word	: Warning
Hazard statements	: H317 May cause an allergic skin reaction.
Precautionary statements	 Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. P285 In case of inadequate ventilation wear respiratory protection. Response:

Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024
	P302 + P352 IF ON SKIN: Wash P304 + P341 IF INHALED: If breat victim to fresh air and keep at res breathing. P333 + P313 If skin irritation or ra	athing is difficult, remove t in a position comfortable for
	advice/ attention. P363 Wash contaminated clothing	g before reuse.
	Disposal: P501 Dispose of contents/contair regulation.	her in accordance with local

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 20 - < 30
Alcohols, C9-11, ethoxylated	68439-46-3	>= 5 - < 10
White mineral oil (petroleum)	8042-47-5	>= 1 - < 3
benzaldehyde	100-52-7	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: This product is formulated for use on skin but should always be immediately washed off with plenty of water. Discontinue use if irritation and redness develop. If conditions persist for more than 72 hours, consult a physician.
In case of eye contact	 If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If in eyes, rinse with water for 15 minutes.
If swallowed	 Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024
Most important symptoms and effects, both acute and delayed	: Effects may be delayed, symptom skin irritation. Overexposure may cause mild ey	
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024
Advice on safe handling	 Avoid contact with eyes. For personal protection see section Smoking, eating and drinking shoul application area. Dispose of rinse water in accordance regulations. 	d be prohibited in the
Conditions for safe storage	 Keep container tightly closed in a d place. Containers which are opened must kept upright to prevent leakage. 	
Materials to avoid	: No materials to be especially menti	oned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	
		. ,	concentration	
Distillates (petroleum),	64742-47-8	TWA	500 ppm	OSHA Z-1
hydrotreated light			2,000 mg/m3	
		TWA	400 ppm	OSHA P0
			1,600 mg/m3	
		TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL	5 mg/m3	CAL PEL
		(particulate)		
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	5 mg/m3	ACGIH
		(Inhalable		
		fraction)		
		TWA (Mist)	5 mg/m3	OSHA P0
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		PEL	5 mg/m3	CAL PEL
		(particulate)	-	
benzaldehyde	100-52-7	TWA	2 ppm	US WEEL
		STEL	4 ppm	US WEEL

Components with workplace control parameters

Engineering measures	: Not applicable
----------------------	------------------

Personal protective equipment In case of insufficient ventilation, wear suitable respiratory equipment. Hand protection In case of insufficient ventilation, wear suitable respiratory equipment. Hand protection In case of insufficient ventilation, wear suitable respiratory equipment.

Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024
Eye protection	: Eye protection is not required while In the workplace, the use of safety avoid eye exposure during the hand during spill clean-up.	glasses is recommended to
Skin and body protection	: No special protection is required.	
Hygiene measures	: Wash hands before breaks and at When using do not eat or drink. When using do not smoke.	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	red
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	7 - 8
Melting point/freezing point	:	No data available
Boiling point	:	not determined
Flash point	:	> 93.3 °C Method: TCC
Evaporation rate	:	1
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.96 g/cm3
Solubility(ies)		
Water solubility	:	emulsifiable
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	No data available
Viscosity		
Viscosity, kinematic	:	40 mm2/s (40 °C)

Version 3.2

Revision Date 10/01/2023

Print Date 04/01/2024

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: None.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

	Aggravated Medical Condition Symptoms of Overexposure	 None known. Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation. Treat symptomatically. Symptoms may be delayed. 	
	Carcinogenicity:		
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
	ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
	OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.	
	NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Αςι	ite toxicity		
	Product:		
	Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
	Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	

Version 3.2

Revision Date 10/01/2023

Print Date 04/01/2024

Components:
Distillates (petroleum), hydrotreated light: Acute oral toxicity : LD50 Rat: > 5,000 mg/kg
Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l Exposure time: 6 h
Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg
Alcohols, C9-11, ethoxylated: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg
Skin corrosion/irritation
Product:
Result: No skin irritation
Serious eye damage/eye irritation
Product:
Result: No eye irritation
Respiratory or skin sensitisation
<u>Components:</u>
benzaldehyde: Classification: May cause sensitisation by inhalation.
Classification: May cause sensitisation by skin contact.
Germ cell mutagenicity
No data available
Carcinogenicity
No data available
Reproductive toxicity
No data available
STOT - single exposure
No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Version 3.2

Revision Date 10/01/2023

Print Date 04/01/2024

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n- octanol/water <u>Components:</u> benzaldehyde : Partition coefficient: n- octanol/water	: Remarks: No data available : log Pow: 1.5
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation Remarks	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.

Version 3.2	Version 3.2 Revision Date 10/01/2023	

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
copper dinitrate	3251-23-8	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Version 3.2	Revision Date 10/01/2023	Print Date 04/01/2024
This material does not conta	n any components with a section 304 EF	IS RQ.
SARA 311/312 Hazards	: Respiratory or skin sensitisation	
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Secti	, , ,
SARA 313	: This material does not contain any c known CAS numbers that exceed th reporting levels established by SAR/	e threshold (De Minimis)
California Prop. 65		
	This product does not contain any California to cause cancer, birth de reproductive harm.	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.2

Revision Date 10/01/2023

Print Date 04/01/2024

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 3.2

Revision Date 10/01/2023

Print Date 04/01/2024

Version:	3.2
Revision Date:	10/01/2023
Print Date:	04/01/2024

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.