

1. Product and Company Identification

Material name	Sulfuric Acid
Version #	12
Revision date	08-25-2011
CAS #	Mixture
Product Codes	J.T.Baker: 5030, 5137, 5374, 5802, 5815, 5859, 6163, 6902, 9671, 9673, 9674, 9675, 9681, 9684, 9690, 9691, 9697, 9864 Macron: 21201, 2876, 2877, 2878, 2879, 2900, 2904, 3780, 5557, H976, H996, V008, V186, V225, V648, V651
Synonym(s)	Oil of vitriol * Babcock acid * Sulphuric acid
Manufacturer	Avantor Performance Materials, Inc.
Address	3477 Corporate Parkway Suite #200 Center Valley, PA 18034 US
Customer Service	855-282-6867
24 Hour Emergency	908-859-2151
Chemtrec	800-424-9300

2. Hazards Identification

Emergency overview	DANGER
	STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER. Risk of cancer depends on duration and level of exposure.
	Corrosive. Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract. Material reacts with water.
OSHA regulatory status	This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).
Potential health effects	
Routes of exposure	Ingestion. Inhalation. Skin contact. Eye contact.
Eyes	Corrosive. Causes severe eye burns. Vapor or spray may cause eye damage, impaired sight or blindness.
Skin	Corrosive. Causes severe skin burns.
Inhalation	Corrosive. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Corrosive. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract.
Target organs	Eyes. Skin. Lungs. Respiratory system.
Chronic effects	Cancer hazard - can cause cancer. Corrosive. Prolonged contact causes serious tissue damage.
Potential environmental effects	Harmful to aquatic organisms. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
SULFURIC ACID	7664-93-9	90 - 100
Non-hazardous components	CAS #	Percent
WATER	7732-18-5	2 - 10

4. First Aid Measures

First aid procedures

Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.
Skin contact	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.
Inhalation	Move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

Notes to physician

Keep victim under observation. Treat symptomatically.

General advice

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Show this safety data sheet to the doctor in attendance. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures

Flammable properties

The product is not flammable. No unusual fire or explosion hazards noted.

Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). Dry chemical powder. Foam.

Unsuitable extinguishing media Do not use water as an extinguisher.

Protection of firefighters

Specific hazards arising from the chemical Fire may produce irritating, corrosive and/or toxic gases.

Protective equipment and precautions for firefighters Use water spray to cool unopened containers. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Cool containers exposed to flames with water until well after the fire is out.

Special protective equipment for fire-fighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

Specific methods

In the event of fire and/or explosion do not breathe fumes.

6. Accidental Release Measures

Personal precautions

Wear appropriate protective equipment and clothing during clean-up. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods for containment

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.

Methods for cleaning up

Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. Clean up in accordance with all applicable regulations. Neutralize spill area and washings with soda ash or lime. Collect in a non-combustible container for prompt disposal.

J. T. Baker NEUTRASORB® acid neutralizers are recommended for spills of this product.

7. Handling and Storage

Handling

Do not get in eyes, on skin, on clothing. Do not taste or swallow. Wash thoroughly after handling. Do not eat, drink or smoke when using the product. Use caution when combining with water; DO NOT add water to acid, ALWAYS add acid to water while stirring to prevent release of heat, steam and fumes.

Storage

Do not store in metal containers. Keep tightly closed in a dry, cool and well-ventilated place.

8. Exposure Controls / Personal Protection

ACGIH

Components	Type	Value	Form
SULFURIC ACID (7664-93-9)	TWA	0.2000 mg/m3	Thoracic fraction.

Occupational exposure limits

U.S. - OSHA

Components	Type	Value
SULFURIC ACID (7664-93-9)	PEL	1.0000 mg/m3

Engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Eye / face protection

Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves.

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with acid gas cartridge.

General hygiene considerations

Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

General

Wear chemical protective equipment that is specifically recommended by the manufacturer. Launder contaminated clothing before reuse.

9. Physical & Chemical Properties

Appearance	Aqueous solution.
Color	Clear.
Odor	Odorless.
Odor threshold	Not available.
Physical state	Liquid.
Form	Liquid.

pH	0.3 (1 N sol)
Melting point	3°C (100%), -32°C (93%)
Freezing point	3°C (100%), -32°C (93%)
Boiling point	638.6 °F (337 °C) (98%)
Flash point	Not available.
Evaporation rate	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	0 kPa
Vapor density	3.4
Specific gravity	1.84 (98%)
Relative density	Not available.
Solubility (water)	Miscible. Miscible.
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available.
Decomposition temperature	644 °F (340 °C)

10. Chemical Stability & Reactivity Information

Chemical stability	Material is stable under normal conditions. Material reacts with water.
Conditions to avoid	Moisture. Heat.
Incompatible materials	Water. Cyanides. Strong oxidizing agents. Strong reducing agents. Metals. Halogens. Organic compounds. Potassium.
Hazardous decomposition products	Sulphur oxides. Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Toxicological data	
Product	Test Results
Sulfuric Acid (Mixture)	Acute Inhalation LC50 Rat: 368 mg/l estimated Acute Oral LD50 Rat: 2271 mg/kg estimated
Components	Test Results
SULFURIC ACID (7664-93-9)	Acute Inhalation LC50 Rat: 347 mg/l 1.00 Hours Acute Oral LD50 Rat: 2140 mg/kg
Sensitization	Not a skin sensitizer.
Acute effects	Strongly corrosive. May cause deep tissue damage. Vapors are corrosive. After some hours, injured persons may develop serious shortness of breath and lung edema.
Local effects	Causes severe burns.
Chronic effects	Corrosive. Prolonged contact causes serious tissue damage.
Carcinogenicity	Contains a substance which may cause cancer by inhalation. Suspected to increase risk of cancer.
ACGIH Carcinogens	
SULFURIC ACID (CAS 7664-93-9)	A2 Suspected human carcinogen.
IARC Monographs. Overall Evaluation of Carcinogenicity	
SULFURIC ACID (CAS 7664-93-9)	1 Carcinogenic to humans.

US NTP Report on Carcinogens: Known carcinogen

SULFURIC ACID (CAS 7664-93-9)

Known carcinogen.

Skin corrosion/irritation	Corrosive to skin and eyes.
Epidemiology	No epidemiological data is available for this product.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Neurological effects	No data available for this product.
Reproductive effects	Contains no ingredient listed as toxic to reproduction
Teratogenicity	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
Symptoms and target organs	Corrosive effects.
Further information	Danger of very serious irreversible effects. Symptoms may be delayed.

12. Ecological Information

Ecotoxicological data

Product	Test Results
Sulfuric Acid (Mixture)	LC50 Fish: 44.56 mg/l 96.00 hours estimated
Components	Test Results
SULFURIC ACID (7664-93-9)	LC50 Western mosquitofish (Gambusia affinis): 42 mg/l 96.00 hours
Ecotoxicity	Harmful to aquatic life. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.
Persistence and degradability	Expected to be readily biodegradable.
Partition coefficient (n-octanol/water)	Not available

13. Disposal Considerations

Waste codes	D002: Waste Corrosive material [pH ≤2 or ≥12.5, or corrosive to steel]
Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. All wastes must be handled in accordance with local, state and federal regulations.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport Information

DOT

Basic shipping requirements:

UN number	UN1830
Proper shipping name	Sulfuric acid
Hazard class	8
Packing group	II

Additional information:

Special provisions A3, A7, B3, B83, B84, IB2, N34, T8, TP2, TP12

Basic shipping requirements:

Labels required	8
Additional information:	
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242

ERG number 137

IATA

Basic shipping requirements:

UN number 1830
Proper shipping name Sulphuric acid with more than 51% acid
Hazard class 8
Packing group II
Additional information:
ERG code 8L

IMDG

Basic shipping requirements:

UN number 1830
Proper shipping name SULPHURIC ACID with more than 51% acid
Hazard class 8
Packing group II



DOT



IATA



IMDG

15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

US EPCRA (SARA Title III) Section 302 - Extremely Hazardous Spill: Reportable quantity

SULFURIC ACID (CAS 7664-93-9) 1000 LBS

US EPCRA (SARA Title III) Section 302 - Extremely Hazardous Substance: Threshold Planning Quantity

SULFURIC ACID (CAS 7664-93-9) 1000 LBS

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

SULFURIC ACID (CAS 7664-93-9) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

SULFURIC ACID (CAS 7664-93-9) Listed.

CERCLA (Superfund) reportable quantity

SULFURIC ACID: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

SULFURIC ACID (CAS 7664-93-9) Listed.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

SULFURIC ACID (CAS 7664-93-9) Listed: March 14, 2003 Carcinogenic.

US - New Jersey Community RTK (EHS Survey): Reportable threshold

SULFURIC ACID (CAS 7664-93-9) 500 LBS

US - Pennsylvania RTK - Hazardous Substances: Listed substance

SULFURIC ACID (CAS 7664-93-9) Listed.

Saf-T-Data Health: 3 - Severe (Poison)
 Flammability: 0 - None
 Reactivity: 2 - Moderate
 Contact: 4 - Extreme (Corrosive)
 Lab Protective Equip: D - GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES
 Storage Color Code: W - White (Corrosive)

16. Labeling Info

Label Hazard Warning	DANGER STRONG INORGANIC ACID MISTS CONTAINING SULFURIC ACID CAN CAUSE CANCER. Risk of cancer depends on duration and level of exposure. Corrosive. Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract. Material reacts with water.
Label Precautions	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Keep container closed. Wash thoroughly after handling. DO NOT allow water to come into contact with this material.
Label First Aid	Immediately flush eyes with plenty of water for at least 15 minutes. Immediately flush skin with plenty of water. If gas/fume/vapor/dust/mist from the material is inhaled, remove the affected person immediately to fresh air. Get medical attention immediately. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance.

17. Other Information

NFPA ratings	Health: 3 Flammability: 0 Instability: 1 Special hazards: W
---------------------	--

Disclaimer

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.

Issue date

08-25-2011

**This data sheet contains
changes from the previous
version in section(s):**

Chemical Stability & Reactivity Information: Incompatible materials